

DECLARATION NUMBER  
**TEC04CPR2013 +A1:2016**

# TT4 275MM

TecTies Ltd hereby declares that the Type 4 Housing Ties TT4 275mm are in conformity with the provisions of **ZA Annex of EN 845—1 : 2013+A1:2016**

**Intended Use**

Symmetrical Wall Tie Type 4 /Type A designed to connect two leaves of a cavity wall in masonry construction

**Suitable for**

126—150mm cavities

**Notified Body**

Lucideon Limited, Queens Road, Penkhull, Stoke on Trent ST4 7LQ Tel. +44 (0)1782 764428

**Notified Body Number** 1289

**Underwritten by** TZUS – Prague

**Notified Body Number** 1020

The system of assessment and verification of constancy of performance for this construction product conforms to **System 3**

## Essential Characteristics

Compressive Load Capacity	410N
Tensile Load Capacity	1839N
Displacement at 1/3 Load - Compression	0.09mm
Displacement at 1/3 Load - Tensile	0.34mm
Water Shedding Capability	Resistant
Durability - Material Reference 3	Austenitic Stainless Steel
Durability - Wire Grade	304 18/8 comp. to BS EN 10088/1
Embedment Depth	62.5mm
Minimum Mortar Designation	(iv)
Minimum Mortar Joint Width	10mm
Recommended Spacing	PD 6697:2010 Clause 6.2.2.2





Signed for and on behalf of the manufacturer by:



Bob Wood, Tecties Managing Director, on 14th September 2023



visit [www.tecties.co.uk](http://www.tecties.co.uk) for more information or call **01663 749361**

 Tecties, Hague Bar Works, Hague Bar, New Mills SK22 3AT  
 T: 01663 749361  F: 01663 747897  E: [sales@tecties.co.uk](mailto:sales@tecties.co.uk)